



MAN TRUCK & BUS SVERGIE AB
KUNGENS KURVALEDEN 4
14175 KUNGENS KURVA
SCHWEDEN

Original

Order confirmation-03

Our VAT Reg No: DE811125281
Order no.: 6030/10229

Your VAT Reg No: SE556173415201	Date :	21.12.2011
Your order: 78231, 09.11.2011	Works no.:	30X-1499
Country : Schweden	Cab: XM	Basic veh. no.: L30XKJ33
Customer no.: 006113	Our ref.:	SMODC/LI

Following the change since our order confirmation of 09.12.2011 we shall now complete your order as follows:

1 MAN - truck model TGX 26.480 6X4 BLS

Permissible gross vehicle weight	28000 kg
Front axle load	9000 kg
Rear axle load	26000 kg

Extent of delivery with breakdown of price

Code	Variant	EUR
	Basic price of vehicle	118.960,00
001AA	steering arrangement, left	
005IW	wheelbase 3900+1350 mm	
006BY	rear frame overhang 750 mm	
018JR	engine D2676LF07 - 480 hp / 353 kw EURO5 SCR - 2300 Nm C-R OBD2	
Subtotal		118.960,00

Vorsitzender des Aufsichtsrates: Rupert Stadler
Vorstand: Dr.-Ing. Georg Pachta-Reyhofen (Sprecher),
Karl Gadesmann, Dr. Frank Hiller,
Bernd Maierhofer, Lars Wrebo

Sitz der Gesellschaft: München

Registergericht: Amtsgericht München HRB 86 963
USt-IdNr. DE811125281

MAN Truck & Bus AG
Postfach 50 06 20 - 80976 München
Dachauer Straße 667 - 80995 München

Telefon: +49. 89. 1580-0 oder -Durchwahl
Telefax: +49. 89. 1580-3803 o. +49. 89. 1503972

Commerzbank Aktiengesellschaft, Dachau BLZ 700 400 41 Konto 1450600
IBAN: DE33 7004 0041 0145 0600 00 BIC: COBADEFFXXX
Stadtsparkasse München BLZ 701 500 00 Konto 89104400
IBAN: DE36 7015 0000 0089 1044 00 BIC: SSKMDEMM



**Original
Order confirmation-03**

MAN TRUCK & BUS SVERGIE AB

Order no.: 6030/10229
Date : 21.12.2011

Carry forward		118.960,00
02AAE	instrument panel km/h 'High-Line'	
021GG	Transmission software for off-road use	370,00
022GS	gearbox ZF 12 AS 2330 DD MAN TipMatic	3.365,00
023UC	combination fuel tank, aluminium 430l + 75l Adblue right	480,00
025MH	front axle VOK-09 dropped	535,00
026EF	front springs parabolic 9,5 t	835,00
027AN	radiator and intercooler for up to 35 degrees ambient temperature	
028MR	rear air suspension 2x13 t	755,00
03KAA	fuel tank fitted	
030EE	steering wheel with height and inclination adjustment	
032AB	MAN BrakeMatic (electronic brake system)	
034NM	hypoid rear axle HYD-1370/HY-1350	
035HA	hypoid axle ratio i = 3.36	
037AC	with differential lock in rear axle	
038GH	disc wheels 10 hole 11.75-22.5 on 1st FA TL	195,00
038PG	disc wheels 10-hole 9.00-22.5 on 1st RA TL	165,00
038RG	disc wheels 10-hole 9.00-22.5 on 2nd RA TL	165,00
038XT	without spare wheel	-60,00
04WAA	spiral line between socket and semitrailer	
042DG	Digital tachograph, manufactured by STONERIDGE	
045CA	MAN EasyStart for TipMatic	
05NAE	front panel unlockable from inside	
Subtotal		125.765,00

MANDCS2000 AVISHOST_NB

Vorsitzender des Aufsichtsrates: Rupert Stadler
Vorstand: Dr.-Ing. Georg Pachta-Reyhofen (Sprecher),
Karl Gadesmann, Dr. Frank Hiller,
Bernd Maierhofer, Lars Wrebo

Sitz der Gesellschaft: München

Registergericht: Amtsgericht München HRB 86 963
USt-IdNr. DE811125281

MAN Truck & Bus AG
Postfach 50 06 20 - 80976 München
Dachauer Straße 667 - 80995 München

Telefon: +49. 89. 1580-0 oder -Durchwahl
Telefax: +49. 89. 1580-3803 o. +49. 89. 1503972

Commerzbank Aktiengesellschaft, Dachau BLZ 700 400 41 Konto 1450600
IBAN: DE33 7004 0041 0145 0600 00 BIC: COBADEFFXXX
Stadtparkasse München BLZ 701 500 00 Konto 89104400
IBAN: DE36 7015 0000 0089 1044 00 BIC: SSKMDEM33



**Original
Order confirmation-03**

MAN TRUCK & BUS SVERGIE AB	Order no.:	6030/10229
	Date :	21.12.2011

Carry forward		125.765,00
050NE	XLX cab with, high-roof, medium-high 2440mm wide, 2280mm long	
052AC	storage compartment accessible from outside, lid unlocked from inside	
058BC	seat coverings in high-comfort quality	
058NK	high-comfort driver's seat with air suspension, climate control, lumbar support and heating	1.015,00
059NA	co-driver's seat static, with longitudinal + seat back adjustment	
064AC	two additional vehicle keys	70,00
068AS	door extension	
080AF	door interior panelling fabric	
116AE	visco fan	
118MA	EDC engine regulation	
119EH	general parameterisation for power take-offs	
120KP	Power take-off on flywheel side with pump connection, spline hub profile DIN ISO 14 - 8x32x36 f=1.233	1.295,00
124AL	fuel filter	
124AR	additional fuel filter heated with water trap, make SEPAR	355,00
124EA	fuel filter heating	
142AF	calibrate tachograph	
153EW	water aux. heater with coolant pre- heater, EBERSPAECHER D5W	1.810,00
153EY	air auxiliary heater EBERSPÄCHER D4S	1.275,00
153KC	air conditioning system AC R134A with automatic temperature control without CFHC	
159CX	cab insulation NORDIC (against cold) for XL, XLX and XXL cab	
Subtotal		<u>131.585,00</u>

Vorsitzender des Aufsichtsrates: Rupert Stadler
Vorstand: Dr.-Ing. Georg Pachta-Reyhofen (Sprecher),
Karl Gadesmann, Dr. Frank Hiller,
Bernd Maierhofer, Lars Wrebo

Sitz der Gesellschaft: München

Registergericht: Amtsgericht München HRB 86 963
USt-IdNr. DE811125281

MAN Truck & Bus AG
Postfach 50 06 20 - 80976 München
Dachauer Straße 667 - 80995 München

Telefon: +49. 89. 1580-0 oder -Durchwahl
Telefax: +49. 89. 1580-3803 o. +49. 89. 1503972

Commerzbank Aktiengesellschaft, Dachau BLZ 700 400 41 Konto 1450600
IBAN: DE33 7004 0041 0145 0600 00 BIC: COBADEFFXXX
Stadtsparkasse München BLZ 701 500 00 Konto 89104400
IBAN: DE36 7015 0000 0089 1044 00 BIC: SSKMDEMM



Original

Order confirmation-03

MAN TRUCK & BUS SVERGIE AB

Order no.:

6030/10229

Date :

21.12.2011

Carry forward		131.585,00
194AM	operator's manual in SWEDISH	
197SL	Mirror trim cover painted in cab colour	
201AS	air intake raised with dry air filter	
201FA	fine dust and pollen filter	
205AN	air compressor 1-cylinder, 360 ccm	
206ET	exhaust on lh side with tail pipe towards rear	
208AK	exhaust valve brake	
210AA	flame starting system	145,00
211FF	single-plate clutch MFZ 430	
227AC	rear axle breather upswept	
230ER	front underride guard	
232HA	synthetic bumper with integrated airdam	
236AF	cross member for trailer coupling	
245EL	spare wheel on body/semitrailer	
245XX	without spare wheel holder	-45,00
256AF	steering wheel lock with immobiliser	
257LY	multifunction leather steering wheel for 'L,LX,XL,XLX,XXL'cab	435,00
258AC	antijackknife brake	185,00
258HA	anti-lock braking system (ABS)	
258NA	ECAS air suspension	
259CA	disc brake for front axle	
259CB	disc brake for rear axle	
262AZ	2-line brake connection behind cab	
263AF	asbestos-free brake linings	
265AF	parking brake with pneumatic application of front wheel brakes	380,00
272FA	entry lighting for driver and co-driver	
Subtotal		132.685,00

Vorsitzender des Aufsichtsrates: Rupert Stadler
 Vorstand: Dr.-Ing. Georg Pächta-Reyhofen (Sprecher),
 Karl Gadesmann, Dr. Frank Hiller,
 Bernd Maierhofer, Lars Wrebo

Sitz der Gesellschaft: München

Registergericht: Amtsgericht München HRB 86 963
 USt-IdNr. DE811125281

MAN Truck & Bus AG
 Postfach 50 06 20 - 80976 München
 Dachauer Straße 667 - 80995 München

Telefon: +49. 89. 1580-0 oder -Durchwahl
 Telefax: +49. 89. 1580-3803 o. +49. 89. 1503972

Commerzbank Aktiengesellschaft, Dachau BLZ 700 400 41 Konto 1450600
 IBAN: DE33 7004 0041 0145 0600 00 BIC: COBADEFFXXX
 Stadtparkasse München BLZ 701 500 00 Konto 89104400
 IBAN: DE36 7015 0000 0089 1044 00 BIC: SSKMDEMM



Original

Order confirmation-03

MAN TRUCK & BUS SVERGIE AB

Order no.:

6030/10229

Date :

21.12.2011

Carry forward		132.685,00
276AC	armrests for driver's seat	
280EC	fly mesh guard before radiator	
280YX	without work platform	-165,00
283FG	air sprung cab mounts for 'L,LX,XL,XLX,XXL'	
284LF	for off-road use the manual mode of MAN TipMatic must be used	
284LV	Caution: Reduction in ride comfort due to front springs	
303AA	tank cap lockable - 1 cap w/o vent	60,00
303CA	AdBlue-tank cap, 1 pc.	
309AA	beam throw regulator	
310CN	additional headlights and foglights with cornering lights	420,00
310EE	halogen twin headlights H7 for right-hand traffic	
310FA	2 spotlights on cab roof	230,00
310HA	Day driving light (not conforming to ECE R48/78/87)	175,00
318AA	marker lamps	
318AK	lateral marker lights	
319AA	reading lamps for driver and co-driver	
319AZ	Courtesy lights	
321EC	central locking	
321EH	remote control unit for central locking	
324AC	two-tone horn,electric	
324CA	2 air horns on cab roof/roof spoiler	470,00
325AA	MAN Tronic (on-board computer)	
325ED	language 1 for instrument panel display 'Swedish'	
325FC	language 2 'English' for display in instrument panel	
Subtotal		133.875,00

5 / 10

MAN/DCS2000 AVISHOST_NB

Vorsitzender des Aufsichtsrates: Rupert Stadler
Vorstand: Dr.-Ing. Georg Pachta-Reyhofen (Sprecher),
Karl Gadesmann, Dr. Frank Hiller,
Bernd Maierhofer, Lars Wrebo

Sitz der Gesellschaft: München

Registergericht: Amtsgericht München HRB 86 963
USt-IdNr. DE811125281

MAN Truck & Bus AG
Postfach 50 06 20 - 80976 München
Dachauer Straße 667 - 80995 München

Telefon: +49. 89. 1580-0 oder -Durchwahl
Telefax: +49. 89. 1580-3803 o. +49. 89. 1503972

Commerzbank Aktiengesellschaft, Dachau BLZ 700 400 41 Konto 1450600
IBAN: DE33 7004 0041 0145 0600 00 BIC: COBADEFFXXX
Stadtsparkasse München BLZ 701 500 00 Konto 89104400
IBAN: DE36 7015 0000 0089 1044 00 BIC: SSKMDEMM



Original
Order confirmation-03

MAN TRUCK & BUS SVERGIE AB

Order no.: 6030/10229
Date : 21.12.2011

Carry forward		133.875,00
326CR	trailer socket for ABS behind cab	
326ET	trailer socket, 24 V, 7+7-pole, behind cab	
326FZ	socket in cab 12V 2-pole and 24V 2-pole	250,00
327AF	battery main switch, mechanical	175,00
329CW	2 batteries, 12V 225 Ah	210,00
329ES	battery box up to 225Ah	125,00
331CA	alternator 28V 120A 3360 W	395,00
339FP	Display on the dashboard for operating data	
345AU	Speed limiter, electronic 89 km/h + 1 km/h tolerance	
345EA	cruise control	
346CA	charging pressure indicator	
350AB	MAN sound system	275,00
350LN	antenna for trunking radio on cab roof	125,00
350NL	radio MAN BasicLine 24V	
351AF	preparation for radiotelephone	125,00
352ED	preparation for additional lighting on cab roof	155,00
362AH	stabilizer on both rear axles	
363AA	stabilizer for front axle	
370CR	air dryer, heated	175,00
373AE	Antifreeze effective down to -35 degrees	90,00
376FA	1 bunk with storage space (with aluminium frame)	
376HA	mattress for lower bunk	
376XK	without mattress for upper bunk	
380AC	windscreen of laminated glass tinted	
Subtotal		135.975,00

MAN/DCS2000.AVISHOST_NB

Vorsitzender des Aufsichtsrates: Rupert Stadler
Vorstand: Dr.-Ing. Georg Pachtla-Reyhofen (Sprecher),
Karl Gadesmann, Dr. Frank Hiller,
Bernd Maierhofer, Lars Wrebo

Sitz der Gesellschaft: München

Registergericht: Amtsgericht München HRB 86 963
USt-IdNr. DE811125281

MAN Truck & Bus AG
Postfach 50 06 20 - 80976 München
Dachauer Straße 667 - 80995 München

Telefon: +49. 89. 1580-0 oder -Durchwahl
Telefax: +49. 89. 1580-3803 o. +49. 89. 1503972

Commerzbank Aktiengesellschaft, Dachau BLZ 700 400 41 Konto 1450600
IBAN: DE33 7004 0041 0145 0600 00 BIC: COBADEFFXXX
Stadtparkasse München BLZ 701 500 00 Konto 89104400
IBAN: DE36 7015 0000 0089 1044 00 BIC: SSKMDEMM



**Original
Order confirmation-03**

MAN TRUCK & BUS SVERGIE AB	Order no.:	6030/10229
	Date :	21.12.2011

Carry forward		135.975,00
380CA	door windows tinted	
381AA	cab rear wall without windows	
381CE	all-round curtain	
381CM	diagonal curtain	
384CD	safety belt display, driver's side	
385AT	side windows tinted behind B-post	
386CC	electric raising/sliding roof	325,00
387AF	electric door window lifters for driver and co-driver	
388AH	roller blind for windscreen, mechanical	
388AK	sun shade in front of windscreen	445,00
388CA	roller sunblinds on both doors	110,00
389AC	handles left and right (on B-post)	
389AD	handles left and right (on A-post)	
390AG	Oddments tray in door armrest	
390AO	coolbox	1.130,00
390CV	2 pull-out drawers in centre of dashboard	115,00
390EF	2 waste paper bins between the seats	
392AR	kerb mirror, right, heated and electrically adjustable	95,00
392CL	EU front mirror on co-driver's side	
392CW	Electrically heated and adjustable rear and wide-angle mirrors, wide angle mirror with el. manoeuvring	370,00
392HA	mirror brackets for body width 2500-2600 mm width 2500 mm	
394FM	1 Fire extinguisher 2 kg multilingual (English/German/Dutch)	135,00
396AC	headlight washer system	230,00
398EK	desktop on coolbox or storage box	300,00
Subtotal		139.230,00

7 / 10

MAN/DCS2000 AVISHOST_NB

Vorsitzender des Aufsichtsrates: Rupert Stadler
Vorstand: Dr.-Ing. Georg Pachta-Reyhofen (Sprecher),
Karl Gadesmann, Dr. Frank Hiller,
Bernd Maierhofer, Lars Wrebo

Sitz der Gesellschaft: München

Registergericht: Amtsgericht München HRB 86 963
USt-IdNr. DE811125281

MAN Truck & Bus AG
Postfach 50 06 20 - 80976 München
Dachauer Straße 667 - 80995 München

Telefon: +49. 89. 1580-0 oder -Durchwahl
Telefax: +49. 89. 1580-3803 o. +49. 89. 1503972

Commerzbank Aktiengesellschaft, Dachau BLZ 700 400 41 Konto 1450600
IBAN: DE33 7004 0041 0145 0600 00 BIC: COBADEFFXXX
Stadtparkasse München BLZ 701 500 00 Konto 89104400
IBAN: DE36 7015 0000 0089 1044 00 BIC: SSKMDEMM



Original

Order confirmation-03

MAN TRUCK & BUS SVERGIE AB

Order no.:

6030/10229

Date :

21.12.2011

Carry forward		139.230,00
400AH	mudflap front	
401CY	synthetic mudguards, 3-part, with mud flaps	
401EG	mudguard fairing extension to EU directive 917226/EEC	265,00
404AP	spray reducer	
405AC	first-aid kit	
405AK	hazard-warning sign	
405AR	hazard-warning lamp	
407AH	jack 12 t	
411AF	2 chocks	
491GF	fifth-wheel coupling JOST JSK 37 C height 185 mm with integrated lubrication	1.080,00
493ME	kingpin to rear axle centre 1175 mm	
493YS	pick-up plate 40 mm, JOST (fifth-wheel loads up to 20t)	
523AC	signs in English	
538AF	carpeted engine tunnel	
542DA	international documentation (COC)	40,00
542FC	anti-noise package 80 dB (92/97EEC)	
600AC	Fittings for right-hand traffic	
LQA26	high roof in 2-pack acrylic	
LQA46	mudguards behind cab in 2-pack acrylic	
LQA48	PU/SMC-Stoßfänger und Bugschürze 2K-Acryl	
LQA49	Türverlängerung und Einstiege 2K-Acryl	
LQW01	chassis in water-based paint	
LVS01	chassis graphite black RAL 9011 matt	
LVS02	wheels White aluminium acrylic RAL 9006	
Subtotal		140.615,00

MAN Truck & Bus AG



Original

Order confirmation-03

MAN TRUCK & BUS SVERGIE AB

Order no.:

6030/10229

Date :

21.12.2011

Carry forward		140.615,00
LVS03	cab Pure white RAL 9010	
LVS26	paint high roof Pure white RAL 9010	
LVS46	mudguards behind cab Pure white RAL 9010	
LVS48	synthetic bumper and air dam Pure white RAL 9010	
LVS49	door extension and steps Pure white RAL 9010	
80001	2 Michelin 385/65R22,5 XZY3 TL 1	570,00
90001	4 Michelin 315/80R22,5 MW XD3D TL 1	600,00
90002	4 Michelin 315/80R22,5 MW XD3D TL 1	600,00
90004	Z 295/80R22,5 OHNE ERSÄ152/148 M	-220,00
Subtotal		<hr/> 142.165,00